

Polaris RZR Front Door Bag Install Instructions



Door bag kit includes a driver and passenger side bag and two phone/to go bags.



STEP #1

The door bags can be installed with the doors on or off the vehicle. Remove the screws indicated by the red arrows and loosen the screws indicated by the green arrows this will allow you to separate the plastic door panel from its frame much easier.



STEP #2

Attach the supplied Velcro mounting strip to the door frame using the 3 factory screws indicated below.



STEP #3

Using your hands separate the plastic panel from the door frame creating a small gap, be careful not to pull too hard as to pull the screws out the plastic stripping the screw holes in the plastic panel. Starting from the front of the door (closest to the door latch) slide the bags three plastic mounting hooks onto the door frame just under the plastic door panel.



STEP #3

Now attach the front hook to the front of the door frame. This is made easier by sliding the hook into place starting at the notch in frame indicated by the arrow below.



STEP #4

Once all the plastic hooks are attached tighten the 2 screws indicated by the red arrows and reinstall the bolt indicated by the green arrow. Then affix the Velcro on the bottom of the bag to the Velcro mounting strip on the door. Hint: As you affix the Velcro pull the bottom corner of the bag slightly down and back towards the car eliminating any wrinkles in the Velcro.



SIMPSON

WEST COAST SEAT SALES

1405 W. 240th Street
Harbor City, CA 90710

Toll Free: 800-929-7223 x122

Phone: 310-325-6035 x122

Fax: 310-320-7179

WWW.TEAMSIMPSON.COM OR CALL (310) 325-6035